

United Kingdom of Great Britain and Northern Ireland

**Certificate of EC type-examination of a  
measuring instrument  
Number: UK/0126/0062**

issued by the Secretary of State for Business, Innovation and Skills  
Notified Body Number 0126

In accordance with the requirements of the Measuring Instruments (Material Measures of Length) Regulations 2006 (SI 2006/1267) and the Measuring Instruments (Non-Prescribed Instruments) Regulations 2006 (SI 2006/1270) which implement, in the United Kingdom, Council Directive 2004/22/EC, this certificate of EC type-examination has been issued to:

**Ovibell GmbH & Co. KG  
Steinshoffweg 2  
D-45479 Mülheim a.d.  
Ruhr  
Germany**

in respect of: Material measure of length  
accuracy class: II  
nominal length: 35.5 cm top edge and 32.0 cm bottom edge

Additional models, lengths and widths are described in Section 7 of the descriptive annex to this certificate.



Signatory: G Stones  
for Chief Executive  
National Weights & Measures Laboratory  
(Part of the National Measurement Office)  
Department for Business, Innovation and Skills  
Stanton Avenue  
Teddington  
Middlesex TW11 0JZ  
United Kingdom

Issue Date: 26 October 2009  
Valid Until: 25 October 2019  
Reference No: T1126/0026

# Descriptive Annex

## 1 REGULATIONS

The measuring instrument in respect of which this certificate of EC pattern approval has been issued is subject to the provisions and requirements of the requirements of the Measuring Instruments (Material Measures of Length) Regulations 2006 (SI 2006/1267) and the Measuring Instruments (Non-Prescribed Instruments) Regulations 2006 (SI 2006/1270) which implement, in the United Kingdom, Council Directive 2004/22/EC.

## 2 DESCRIPTION OF THE PATTERN (Figure 1)


The pattern is a small composite right-angle measure which has a dual graduated, double sided, blade. The top edge blade scale is 35.5 cm long and the bottom edge scale is 32.0 cm. It is 4.0 cm wide and made of aluminium. It has black markings on a grey background. The blade is graduated in millimetres throughout on both edges; half-centimetres are also marked. The centimetre intervals are numbered consecutively throughout. The stock of the right-angle measure contains a spirit level, on the inside edge, which is not included in this approval.

## 3 TECHNICAL DATA

- 3.1
- (a) Accuracy class: II
  - (b) Nominal lengths: 35.5 cm (top edge) and 32.0 cm (bottom edge)
  - (c) Scale interval: 1 mm

## 4 INSCRIPTIONS

The following inscriptions are marked on the blade face:

- (a) Nominal length: 35.5 cm
- (b) Manufacturer's identification:  or Ovibell GmbH & Co. KG
- (c) Class of accuracy: II
- (d) EC type approval certificate number: UK/0126/0062

## 5 APPROVAL CONDITIONS

The certificate is issued subject to the following conditions.

### 5.1 Legends and inscriptions

5.1.1 The following markings and inscriptions shall be durably and legibly marked onto the blade of the tape measure: and fulfil the requirements of Directive 2004/22/EC Article 17:

- CE' mark
- Supplementary metrology mark
- Notified Body number [as required by Article 17(3) ]

and

Paragraph 9 of Annex I:

- Accuracy class
- Manufacturers mark or name
- Certificate number
- Tractive force (if applicable)
- Reference temperature (if other than 20°C)

**6 LOCATION OF MARKS**

**6.1** The inscriptions in section 4 together with the ‘CE’ marking, supplementary metrology marking and notified body number are printed on the blade near the beginning.

**7 ALTERNATIVES**

**7.1** As described but with a nominal length of 20.5 cm (top edge) and 18.5 cm (bottom edge), and width of 2.8 cm. (Figure 2).

**8 ILLUSTRATIONS**

**Figure 1** The pattern

**Figure 2** Alternative size

**9 CERTIFICATE HISTORY**

<b>ISSUE NO.</b>	<b>DATE</b>	<b>DESCRIPTION</b>
UK/0126/0062	26 October 2009	Type examination certificate first issued.



**Figure 1 The Pattern**



**Figure 2 Alternative size**